

Issuing Date 11-Oct-2016

Revision Date 11-Oct-2016

Revision Number 1

Japan / English

1. PRODUCT AND COMPANY IDENTIFICATIONProduct identifier

Product Name MetaDi Ultra Paste
Product Code(s) 40-1-6301, 40-1-6303, 40-1-6305, 40-1-6307, 40-1-6309
(M)SDS Number 1353237_J

Other means of identification

Synonyms No information available
Registration Number No information available

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use Only
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Buehler
Manufacturer Address Loop-X 6th Floor 3-9-15
kaigan Minato-ku, Tokoyo 108-0022
www.buehler.com/Japan
Phone number +81 (0)3 5439 5077
E-mail Address info.japan@buehler.com

Emergency telephone number

Global Access Code: 334545
Asia Pacific: +1 760 476 3960 Americas: +1 760 476 3962
Middle East/Africa: +1 760 476 3959 Europe: +1 760 476 3961
Japan: +81 36 8908677

2. HAZARDS IDENTIFICATIONGHS Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements

Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

IF exposed or concerned: Call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS
--

Substance

Not applicable

Mixture

Chemical name	Percent	Inventory - Japan - Existing and New Chemical Substances (ENCS)	ISHL No.	CAS-No
Water	30 - 60%	No information available	No information available	7732-18-5
Diamond	1 - 30%	No information available	No information available	7782-40-3
n-Octadecylamine	5 - 15%	No information available	No information available	124-30-1
Dipropylene glycol	3 - 10%	No information available	No information available	25265-71-8
Polyethylene glycol	1 - 5%	No information available	No information available	39464-70-5

phenyl ether phosphate				
Alcohols, C12-20, ethoxylated	1 - 5%	No information available	No information available	68526-94-3
BHT	< 1%	No information available	No information available	128-37-0

Pollutant Release and Transfer Registry (PRTR)

Not applicable.

Chemical name	Percent	Class	Cabinet order number	Relevant substance, conversion factor
BHT 128-37-0	< 1%	Class I designated chemical substance		

Industrial Safety and Health Law

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Chemical name	ISHL Notifiable Substances	Threshold Values (%)
BHT 128-37-0	ISHL Notifiable Substances	0.1

Poisonous and Deleterious Substances Control Law Not applicable

4. FIRST AID MEASURES

First aid measures

- General advice** Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
- Inhalation** Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
- Eye contact** Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
- Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
- Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.
- Symptoms** Burning sensation. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
- Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.
- Note to physicians** Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Containers may explode when heated.
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Special Extinguishing Media	Cool drums with water spray.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas.
Other Information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Take off contaminated clothing and wash before reuse.

Storage

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines .

Chemical name	Japan	ISHL Working Environmental	ACGIH TLV
---------------	-------	----------------------------	-----------

		Evaluation Standards - Administrative Control Levels	
BHT 128-37-0	-	-	TWA: 2 mg/m ³ inhalable fraction and vapor

Biological occupational exposure limits Not applicable

Engineering controls Showers
Eyewash stations
Ventilation systems.

Personal Protective Equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Paste
Appearance Varies
Odor Odorless
Color No information available
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	No data available	None known
Melting / freezing point	75°C	None known
Boiling point / boiling range	> 205°C	None known
Flash Point	> 121°C	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening Point No information available

Molecular Weight	No information available
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Stability	Stable under normal conditions.
Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes. (based on components).
Skin contact	Specific test data for the substance or mixture is not available. Repeated exposure may cause skin dryness or cracking. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

- 40 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 50 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
n-Octadecylamine 124-30-1	= 2395 mg/kg (Rat)	-	-
Dipropylene glycol 25265-71-8	= 14850 mg/kg (Rat)	> 20mL/kg (Rabbit)	-
BHT 128-37-0	= 890 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	GHS-Carcinogenicity	IARC
BHT 128-37-0		Group 3

Legend:

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system. Eyes. Skin. Central Vascular System (CVS). Digestive System.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Percentage for unknown hazards 40 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n-Octadecylamine	-	96h LC50: 1.0 - 10.0 mg/L (Brachydaniorerio)	EC50 = 3 mg/L 8 h EC50 = 3 mg/L 120 h	-
Dipropylene glycol	-	24h LC50: > 5000mg/L (Carassius auratus)	EC50 = 10000 mg/L 16 h	-
BHT	72h EC50: = 6 mg/L (Pseudokirchneriella subcapitata) 72h EC50: > 0.42	48h LC50: = 5 mg/L (Oryzias latipes)	EC50 = 7.82 mg/L 5 min EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min	-

	mg/L(Desmodesmussubs picatus)			
--	----------------------------------	--	--	--

Persistence and Degradability No information available.

Bioaccumulation

Component Information

Chemical name	Log Pow
n-Octadecylamine	6
BHT	4.17

Mobility in soil No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

IMDG

UN-No. UN3077
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Hazard Class 9
Packing Group III
EmS-No. F-A, S-F
Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT

ADR

UN-No. UN3077
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
Hazard Class 9
Packing Group III
Environmental hazard Yes
Special Provisions 274, 335, 601, 375
Classification code M7
Tunnel restriction code (E)

IATA

UN-No. UN3077
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Hazard Class 9
Packing Group III
ERG Code 9L
Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

Japan

UN Number	UN3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Hazard Class	9
Packing group	III
Special Provisions	BK2, 274, 335

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Japan

Pollutant Release and Transfer Registry (PRTR)

Not applicable

Industrial Safety and Health Law

ISHL Notifiable Substances

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed

Chemical name	Japan - Chemical Substance Control Law (CSCL)
n-Octadecylamine 124-30-1	Priority assessment chemical substance
BHT 128-37-0	Priority assessment chemical substance

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 11-Oct-2016

Revision Date 11-Oct-2016

Revision Note No information available

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

Disclaimer

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

End of Safety Data Sheet